Raymond HS							
Energy Conservation Measure Number	ECM Description	Cost for Installed Measure		Estimated Annual Energy Savings		tential ebate	Simple Payback YRS
1a	Lighting	\$ 191,092	\$	20,398	\$	42,165	7.30
3	Controls Upgrades	\$ 368,750	\$	1,800			204.86
4	HVAC Retro Commission	\$ 10,000	\$	1,000			10.00
5	Leader Gas Boiler FHS	\$ 165,000	\$	4,500			36.67
6	Walk In Cooler Controls	\$ 13,900	\$	1,200	\$	5,000	7.42
7	AC System for Guidance/Media Center	\$ 65,000					
8	Transformers	\$ 42,361	\$	3,448	\$	1,500	11.85
	Total	\$ 856,102	\$	32,346	\$	48,665	24.96

Lamprey River Elementary

Energy Conservation Measure Number	ECM Description	Cost for Installed Measure	stimated Annual Energy Savings	Potential Rebate	Simple Payback
1a	Lighting	\$ 112,335	\$ 10,000	\$ 28,134	8.42
2	Building Envelope	\$ 30,000	\$ 6,000	\$ 15,000	2.50
3	Controls Upgrades	\$ 210,238	\$ 3,500	\$ 3,000	59.21
4	HVAC Retro Commission	\$ 50,000	\$ 800	\$ 5,000	56.25
5	2 New Gas Boilers and Pipe integration and heat for Library, adjacent classrooms	\$ 228,760	\$ 4,300	\$ 8,000	51.34
7	Walk In Cooler Controls	\$ 13,000	\$ 900	\$ 5,000	8.89
	Transformers	\$ 13,427	\$ 826		
	Total Lamprey	\$ 644,333	\$ 26,326	\$ 64,134	22.04

Iber Holmes

Energy Conservation Measure Number	ECM Description	Cost for Installed Measure	Estimated Annual Energy Savings		Potential Rebate	Simple Payback
1a	Liahting	\$ 145,000	\$	9,900	\$ 40,000	10.61
2	Building Envelope	\$ 15,000	\$	1,000	\$ 6,000	9.00
3	Controls Upgrades	\$ 49,210	\$	1,200		41.01
4	HVAC Retro Commission	\$ 5,000	\$	2,000		2.50
5	Duel Fuel burners and LP Tanks	\$ 130,625	\$	7,000		18.66
7	Walk In Cooler Controls	\$ 13,000	\$	1,300	\$ 5,000	6.15
9	Transformers	\$ 6,073	\$	400		15.18

Total Holmes	\$ 363,908	\$	22,800	\$ 51,000	13.72
SAU 33 Total	\$ 1,864,343	\$	81,472	\$ 163,799	20.87
Payment & Performance Bond	\$ 18,643.43	_			
Tabal Duaiast With DOD					

Total Project With P&P

\$ 1,882,985.97